

SET-UP SHEET

X4'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4'24

RACE	Trofeo de Navidad				
TRACK	Club ARCA				
NAME	David Pérez Pérez		DATE	16/12/2023	
QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME	
3º	4º	21.150 /sec	14	5:04.082	

TRACK					
TRACK SURFACE		<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASPHALT		
TRACK LAYOUT		<input type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input checked="" type="checkbox"/> FAST	
TRACTION		<input checked="" type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH	

FRONT		TRANSMISSION		REAR	
GEAR DIFF OIL	/cSt	<input checked="" type="checkbox"/> FRONT SOLID AXLE		GEAR DIFF OIL	5k /cSt
PINION	47 /T	SPUR GEAR	99 /T	FINAL DRIVE RATIO	4.00

FRONT		SHOCKS		REAR	
2.5-2.8		XRAY SPRINGS		2.8	
400		OIL /cSt		400	
		REBOUND %			
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		FOAM INSERTS		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	
<input type="checkbox"/> 4 HOLES <input type="checkbox"/> 1.1mm <input type="checkbox"/> 1.2mm		<input type="checkbox"/> 4 HOLES <input type="checkbox"/> 1.1mm <input type="checkbox"/> 1.2mm		<input type="checkbox"/> 4 HOLES <input type="checkbox"/> 1.1mm <input type="checkbox"/> 1.2mm	
<input checked="" type="checkbox"/> PSS		<input checked="" type="checkbox"/> PSS		<input checked="" type="checkbox"/> PSS	
SHOCK LENGTH		8.8 /mm		SHOCK LENGTH	
1.2		THICKNESS/mm		1.2	

TPro 36R 090		TIRES		TPro 36R 090	
Mighty Gripper Red + Hudy		ADDITIVE		Mighty Gripper Red + Hudy	
25 + 15		ADDITIVE TIMING		25 + 15	
		WIPE OFF TIME			
Timing:		Temp.: 80-100		Timing:	
FRONT LEFT		FRONT RIGHT		REAR LEFT	
TREATED AREA		TREATED AREA		TREATED AREA	

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT	%	REAR	%
MOTOR	HW Justock 13.5T	TIMING				
ESC	HW XR10 Justock	BATTERIES	RCProStyle 7800			
BODY	Wolverine	WING				

65 /mm		Dimension from body post to window bottom line	BODY POSITION
WING SIDE PLATE		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Dimension from body post to upper holder			
Dimension from edge to surface			

X4'23	<input checked="" type="checkbox"/>	1.6mm	<input checked="" type="checkbox"/>	2.0mm	<input checked="" type="checkbox"/>	1.6mm
X4'22	<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	1.6mm
X4'22	<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	1.6mm	<input type="checkbox"/>	NONE
TOP DECK CUTTING						

COMMENTS	
----------	--

FRONT & REAR SUSPENSION	
FRONT CASTER <input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings BUMP STEER 1.5 /mm HEIGHT 18 /mm SHIM /mm	REAR CASTER <input type="checkbox"/> 0.5° <input type="checkbox"/> 1.5° <input checked="" type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings TOE GAIN 3 /mm 2.5 /mm 5.2 /mm RR 2.5 /mm RIDE HEIGHT <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

FRONT	
2 /deg. Left = Right CAMBER SHOCK HOLDERS SHIM 2 /mm SUSPENSION FLEX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> DRIVE SHAFT <input checked="" type="checkbox"/> 58mm <input type="checkbox"/> 59mm <input checked="" type="checkbox"/> BEARING <input type="checkbox"/> BLADE #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 5.2 /mm DOWNSTOP	1.5 /mm SHIM 2 /mm FRONT HUB MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> SHIM 0.5 /mm

REAR	
2 /deg. Left = Right CAMBER SHOCK HOLDERS FIXED <input checked="" type="checkbox"/> ACTIVE <input type="checkbox"/> SHIM 2 /mm SUSPENSION FLEX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> DRIVE SHAFT <input type="checkbox"/> 52mm <input checked="" type="checkbox"/> 54mm <input checked="" type="checkbox"/> BEARING <input type="checkbox"/> BLADE #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 4.2 /mm DOWNSTOP	1.0 /mm SHIM 2 /mm REAR HUB MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> SHIM 0.5 /mm

FRONT TOP VIEW		REAR	
1 Left = Right TOE OUT ACKERMANN SHIM 0 /mm SHORT LiPo BRASS WEIGHT YES <input type="checkbox"/> NO <input type="checkbox"/> BRASS WEIGHT FOR MOTOR MOUNT 40g DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN <input type="checkbox"/> +1mm UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	2.5 Left = Right TOE IN SHIM /mm STEERING SHIM/mm <input checked="" type="checkbox"/> 8.0mm <input type="checkbox"/> 7.5mm STD. HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm		

FRONT BOTTOM VIEW		REAR	
STEER. LOCK /deg. SERVO HOLDER FR RE FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/>	MOTOR MOUNT CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU 1.5mm	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/> CHASSIS T-BRACE REAR ARMS MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/>	FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/>