

SET-UP SHEET

XB2'24 SET-UP SHEET VER. 1 ©XRAY 2023

XRAY XB2'24

RACE	3. SK Lauf Rüsselsheim		
TRACK	Rüsselsheim		
NAME	Elias Jordan	DATE	2024-03-11

LAPS	26	BEST LAP TIME	11,2 sec
QUALIFYING POSITION	1	FINAL POSITION	1

TRACK	
SIZE	<input type="checkbox"/> OPEN <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH
SURFACE	<input checked="" type="checkbox"/> SMOOTH <input type="checkbox"/> MEDIUM <input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY <input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE <input type="checkbox"/> HARD PACKED <input checked="" type="checkbox"/> DRY <input type="checkbox"/> DUSTY <input type="checkbox"/> LOAMY <input type="checkbox"/> WET

TRANSMISSION	
BALL DIFF	<input type="checkbox"/> GEAR DIFF <input checked="" type="checkbox"/> ACTIVE DIFF <input type="checkbox"/>
DIFFERENTIAL	OIL 60K cst <input type="checkbox"/> 60° <input type="checkbox"/> 90° <input type="checkbox"/> 120°
SATELLITE GEARS	COMPOSITE <input type="checkbox"/> STEEL <input type="checkbox"/> GEARS 2 <input type="checkbox"/> 4
SLIPPER	<input type="checkbox"/> mm <input type="checkbox"/> NUT 2-PAD SLIPPER CLUTCH PLATES SOLID AXLE <input type="checkbox"/> KIT <input checked="" type="checkbox"/> VENTILATED

GEARING	
PINION	21 T
SPUR GEAR	78 T
TYPE	GEAR BOX HARDNES
FRONT LCG	<input checked="" type="checkbox"/> REAR LCG <input type="checkbox"/> KIT <input type="checkbox"/> GRAPHITE

FRONT	SHOCKS	REAR
4 DOT	SPRINGS	3 DOT
cst Losi 35WT	OIL	cst Losi 35WT
2 HOLES <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> ø1.6mm <input type="checkbox"/> <input type="checkbox"/> ø1.8mm <input checked="" type="checkbox"/>	2 HOLES <input checked="" type="checkbox"/>
HOLES <input type="checkbox"/>	mm	HOLES <input type="checkbox"/>
Thickness <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 2.5mm	KIT <input type="checkbox"/> ALU <input type="checkbox"/>	Thickness <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 2.5mm
Precision <input checked="" type="checkbox"/> KIT	DOWNSTOP SHIM INSERT UNDER PISTON	Precision <input checked="" type="checkbox"/> KIT
LENGTH mm	DOWNSTOP SHIM INSERT UNDER PISTON	LENGTH mm
UPSTOP SHIM INSERT ABOVE COLLAR	UPSTOP SHIM INSERT ABOVE COLLAR	UPSTOP SHIM INSERT ABOVE COLLAR
KIT <input checked="" type="checkbox"/> 0mm <input checked="" type="checkbox"/> -2mm <input checked="" type="checkbox"/> -4mm	COLLAR	KIT <input checked="" type="checkbox"/> 0mm <input checked="" type="checkbox"/> -2mm <input checked="" type="checkbox"/> -4mm
ALU <input type="checkbox"/>	BALL JOINT	ALU <input type="checkbox"/>
+4mm +2mm KIT		KIT +2mm +4mm

FRONT	ANTI ROLL BAR	REAR
1,2 mm	THICKNESS	1,3 mm

FRONT	TIRES	REAR
Fusion Slim	BRAND	Cactus
gelb	COMPOUND	gelb
Grau	INSERTS	Medium
Asso	WHEELS	Asso

ELECTRONICS		
MOTOR	Absima 6,5	Adsima
MOTOR TIMING	25	Absima 4100
SPEEDO	BATTERY	

BODY	TOTAL WEIGHT
<input type="checkbox"/> LIGHT	?? /g

COMMENT

FRONT		REAR	
CASTER BLOCK	LONGER BUSHINGS	SHOCK TOWER	SHIM
MEDIUM - KIT <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	KIT <input checked="" type="checkbox"/> 4.0mm 3.5mm	2 /mm
ALU C-HUB <input type="checkbox"/>	SHIM 2 /mm	DRIVE SHAFT <input checked="" type="checkbox"/> KIT /mm	SHIM 2 /mm
UP /mm DOWN /mm	CAMBER LINK LOCATION	STANDARD ARM	REAR UPRIGHT
STEERING BLOCK	ARM MOUNT	SHIM /mm	HIGH <input type="checkbox"/> LOW <input checked="" type="checkbox"/>
MEDIUM - KIT <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	FRONT WING YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	SHIM /mm	WING TYPE
0° <input checked="" type="checkbox"/> KIT 0° <input type="checkbox"/> ALU -3° <input type="checkbox"/> ALU +3° <input type="checkbox"/> ALU 0° <input type="checkbox"/> BRASS	ARM MOUNT 0° + CASTER BUSHING 0° = TOTAL 22° KICK-UP	SHIM /mm	CENTER FIN YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
TOTAL KICK-UP°	ARM MOUNT 0° + CASTER BUSHING 0° = TOTAL 22° KICK-UP	SHIM /mm	WING POSITION
		SHIM /mm	UP <input type="checkbox"/> MIDDLE <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>

FRONT TOE	EXTENSION	REAR TOE	OFFSET
0	1 DOT <input type="checkbox"/> 2 DOTS <input checked="" type="checkbox"/> 3 DOTS <input type="checkbox"/>	2	0 /slots
OFFSET /slots	BATTERY PLACEMENT	LONG SIDE FRONT <input checked="" type="checkbox"/> LONG SIDE REAR <input type="checkbox"/>	WHEELBASE e /mm
WHEELBASE e /mm	SERVO POSITION	MOTOR PLATE KIT <input checked="" type="checkbox"/>	ROLL CENTER KIT <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>
ROLL CENTER KIT <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	BATTERY SIZE <input type="checkbox"/> STD. SHORT <input checked="" type="checkbox"/> LOW SHORT	UPPER BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	COOLING FRONT <input type="checkbox"/> REAR <input type="checkbox"/>
STEERING PLATE <input checked="" type="checkbox"/> KIT <input type="checkbox"/> ALU <input type="checkbox"/>	SERVO BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	SIDE BRACES KIT <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	
ARMS <input checked="" type="checkbox"/> KIT <input type="checkbox"/> ALU <input type="checkbox"/>			

FRONT	REAR
RF 0.5° <input checked="" type="checkbox"/> 1°	RR 0.5° <input checked="" type="checkbox"/> 1°
ROLL CENTER SUSPENSION HOLDERS	ROLL CENTER SUSPENSION HOLDERS
0mm <input checked="" type="checkbox"/> 1mm	0mm <input checked="" type="checkbox"/> 1mm
Raising the suspension holders with shims.	Raising the suspension holders with shims.

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
-1,5°	-2°	
GLUING SIDEWALL YES <input type="checkbox"/> NO <input type="checkbox"/>	CUTTING PINS IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> NO <input type="checkbox"/> NO <input type="checkbox"/>	REAR ARM MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>
FRONT ARM MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>	RISE HEIGHT 12,5 /mm	RISE HEIGHT 13 /mm
	#10721 GAUGE	

SERVO WEIGHT	LOWER ECCENTRIC SHOCK BALL	ARM SHIM
STANDARD <input checked="" type="checkbox"/> LOW PROFILE <input type="checkbox"/>	FRONT <input type="checkbox"/> REAR <input type="checkbox"/>	2 /mm
ARM MOUNT BALANCE #293085 HUDY Pure Tungsten Weight - 10g.	BALANCE 30 /g	CHASSIS SIZE <input type="checkbox"/> SHORT <input checked="" type="checkbox"/> MID-SIZE <input type="checkbox"/> LONG
	ELECTRONICS PLATE NO <input type="checkbox"/> GRAPHITE <input type="checkbox"/> WEIGHT <input type="checkbox"/>	THICKNESS <input checked="" type="checkbox"/> 2.5mm KIT <input type="checkbox"/> 2.0mm