

RACE	Hobby Expo/Rug Champs 2024 - Starting Setup		
TRACK	Die Hard		
NAME	Peter R	DATE	4/12/24
LAPS		BEST LAP TIME	sec
QUALIFYING POSITION		FINAL POSITION	

TRACK		
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH	
SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM
TYPE	<input type="checkbox"/> CLAY	<input checked="" type="checkbox"/> CARPET
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED
	<input type="checkbox"/> DUSTY	<input checked="" type="checkbox"/> LOAMY

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	SLIPPER <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
ACTIVE DIFF <input type="checkbox"/>	GEAR DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>
60° 90° 120°	60° 90° 120°	60° 90° 120°
OIL 15K cSt	OIL cSt	OIL 60K cSt
SATELLITE GEARS		
COMPOSITE <input checked="" type="checkbox"/>	COMPOSITE <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>
STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>
40T <input checked="" type="checkbox"/> 41T	CROWN GEAR	40T <input checked="" type="checkbox"/> 41T

CENTRAL SLIPPER & ONE-WAY SETTING	
	SLIPPING TIGHT mm <input checked="" type="checkbox"/> LOOSE 1 CW TURN (BASIC SETUP) FULLY TIGHTEN

GEARING	
PINION 1	SPUR GEAR 1

FRONT	SHOCKS	REAR
4dot	SPRINGS	4dot
cSt 400	OIL	cSt 350
REBOUND		
2 HOLES <input checked="" type="checkbox"/>	ø1.6mm <input type="checkbox"/>	2 HOLES <input checked="" type="checkbox"/>
Holes <input type="checkbox"/>	ø1.8mm <input checked="" type="checkbox"/>	Holes <input type="checkbox"/>
KIT <input checked="" type="checkbox"/> 2.0mm	PISTON THICKNESS	KIT <input checked="" type="checkbox"/> 2.0mm
Precision <input type="checkbox"/> 2.5mm	<input checked="" type="checkbox"/> 2.5mm	Precision <input type="checkbox"/> 2.5mm
KIT <input checked="" type="checkbox"/> 0mm	<input type="checkbox"/> 0mm	KIT <input type="checkbox"/> 0mm
ALU <input type="checkbox"/> -2mm	<input checked="" type="checkbox"/> -2mm	ALU <input checked="" type="checkbox"/> -2mm
<input type="checkbox"/> -4mm	<input type="checkbox"/> -4mm	<input type="checkbox"/> -4mm
<input type="checkbox"/> +4mm	<input checked="" type="checkbox"/> BALL JOINT	<input type="checkbox"/> +2mm
<input checked="" type="checkbox"/> +2mm		<input checked="" type="checkbox"/> +4mm

FRONT	ANTI ROLL BAR	REAR
1.8 mm	THICKNESS	2.0 mm

FRONT	TIRES	REAR
	BRAND	
	COMPOUND	
	INSERTS	
	WHEELS	

ELECTRONICS		
MOTOR Orca 13.5	Orca	SPEEDO
MOTOR TIMING	Speedzone	BATTERY
BODY Carpet		TOTAL WEIGHT
		/g
COMMENTS		

FRONT	APPLIED	APPLIED	REAR
-------	---------	---------	------