

SET-UP SHEET

X4F'25 SET-UP SHEET VER.1 ©XRAY

XRAY X4F'25

RACE	Dutch Nationals		
TRACK	Raco2000		
NAME	Efrem Kiel	DATE	11 8 2024

TRACK TEMP.	QUAL POS.	FINAL POS.	BEST LAPTIME	LAPS	TIME
	3	3	20.5 /sec	21 /	7.20

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input checked="" type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
-------	--------------	------

GEAR DIFFERENTIAL - OIL	200k /cSt
-------------------------	-----------

PINION / T	SPUR GEAR / T	FINAL DRIVE RATIO
38	90	4.5

FRONT	SHOCKS	REAR
2.5/28	XRAY SPRINGS	2.8
300	OIL /Cst	300
	REBOUND %	

<input type="checkbox"/> 4 HOLES <input checked="" type="checkbox"/> 1.1mm	<input type="checkbox"/> 4 HOLES <input checked="" type="checkbox"/> 1.1mm
<input type="checkbox"/> PSS <input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS <input type="checkbox"/> 1.2mm
SHOCK LENGTH 9 /mm	SHOCK LENGTH 9 /mm

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.4
-----	--------------	---------------	--------------	-----

Ride ets	TIRES	Ride ets
Mr33 red	ADDITIVE	Mr33 red
20min	ADDITIVE TIMING	20min
	WIPE OFF TIME	
Timing: 20	Temp.: 70	Timing: 20
	Temp.: 70	

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	1266 /g	WEIGHT BALANCE	FRONT 67 %	REAR 33 %
--------------	---------	----------------	------------	-----------

MOTOR	17.5	TIMING		RPM LIMIT
ESC	Ets	BATTERIES	Gensace 4200 2.0	
BODY	Yrs	WING	Higher	

	Dimension from body post to window bottom line	BODY POSITION
	WING SIDE PLATE	YES <input type="checkbox"/> NO <input type="checkbox"/>
	Dimension from edge to surface	

<input checked="" type="checkbox"/>		TOP DECK CUTTING
<input type="checkbox"/>		

Bulkhead topbrace cut in half. Rear.

COMMENTS

FRONT CASTER		FRONT & REAR SUSPENSION		REAR CASTER	
<input checked="" type="checkbox"/> 5°	<input type="checkbox"/> 4°	BUMP STEER 3 /mm	HEIGHT 19 /mm	SHIM 3 /mm	<input checked="" type="checkbox"/> 0.5°
Adjust with eccentric bushings				Adjust with eccentric bushings	
2 /mm FF		5 /mm FR		2 /mm RF	
RIDE HEIGHT		RIDE HEIGHT		RIDE HEIGHT	
<input checked="" type="checkbox"/> SERVO SAVER		<input checked="" type="checkbox"/> SERVO HORN		<input checked="" type="checkbox"/> SERVO SAVER	
<input checked="" type="checkbox"/> SERVO HORN		<input checked="" type="checkbox"/> SERVO HORN		<input checked="" type="checkbox"/> SERVO HORN	

1.2 /degr. CAMBER	Left = Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	28.5 /mm	FRONT SUSPENSION	FF /mm 1	FR /mm 1	SHIMS 3 /mm	FRONT HUB
		SHOCK HOLDERS SHIM 3 /mm		SUSPENSION FLEX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>				MEDIUM <input type="checkbox"/>
		DRIVE SHAFT 58mm 59mm	BEARING BLADE					HARD <input checked="" type="checkbox"/>
								GRAPHITE <input type="checkbox"/>
								ALU <input type="checkbox"/>
								SHIM 1 /mm

2 /degr. CAMBER	Left = Right	REAR SUSPENSION	RF /mm 1	RR /mm 1	SHIMS 2 /mm	REAR HUB
		SHOCK HOLDERS FIXED <input type="checkbox"/> ACTIVE <input checked="" type="checkbox"/>				MEDIUM <input type="checkbox"/>
		SUSPENSION FLEX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>				HARD <input checked="" type="checkbox"/>
						GRAPHITE <input type="checkbox"/>
						ALU <input type="checkbox"/>
						SHIM 2 /mm

1.5	TOE OUT	Left = Right	1.5	TOE IN	Left = Right
DIFF POSITION UP <input type="checkbox"/> +1mm DOWN <input checked="" type="checkbox"/> STD. <input checked="" type="checkbox"/>		SHIMS /mm		ARS LINKS SHIMS Std /mm	
UPPER ARM COMPOSITE <input type="checkbox"/> EXTRA SOFT <input checked="" type="checkbox"/> SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/>		HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM /mm		HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM /mm	

WEIGHT LEFT & RIGHT #309826 YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	50g + 50g	STEER. LOCK 25.5 /degr.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
BUMPER WEIGHT YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	100g	MOTOR MOUNT	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>		CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>