

SET-UP SHEET

RX8E'23 SET-UP SHEET VER. 1 ©XRAY

XRAY RX8E'23

RACE	Savöx Cup		
TRACK	TitanRC		
NAME	Jan Ratheisky	DATE	22-24.11.24

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
1	1	X /sec	X /	X

TRACKS			
TRACK CONDITION	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST
TRACK TRACTION	<input checked="" type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

GEARING				
PINION	22 <input checked="" type="checkbox"/>	23 <input type="checkbox"/>	24 <input type="checkbox"/>	25 <input type="checkbox"/>
SPUR	53 <input type="checkbox"/>	54 <input type="checkbox"/>	55 <input type="checkbox"/>	57 <input type="checkbox"/>
	58 <input type="checkbox"/>	59 <input checked="" type="checkbox"/>	60 <input type="checkbox"/>	
RATIO				

FRONT	SHOCKS	REAR
7.5	SPRING	5.6
600	OIL	600
0	REBOUND	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
<input type="checkbox"/> 2 HOLES	PISTONS	<input type="checkbox"/> 2 HOLES
<input checked="" type="checkbox"/> 3 HOLES	1.0mm 1.0mm	<input checked="" type="checkbox"/> 3 HOLES
<input type="checkbox"/> OTHER	1.1mm 1.1mm	<input type="checkbox"/> OTHER
	1.2mm 1.2mm	

FRONT	WIRE	REAR
2.4		2.8

FRONT	TIRES	REAR
LEFT RIGHT	MANUFACTURER	LEFT RIGHT
matrix matrix		matrix matrix
32 32	SHORE /degr.	35 35
67 67	DIAMETER	74 74
64 64	5 MIN. WEAR	71 71
	RUBBER TIRES	

ELECTRONICS	
MOTOR	Hobbywing 2800 KV
SPEEDO	Hobbywing XR8 Pro
BATTERY TYPE	Nosram 6200

BODY	Blitz spider
------	--------------

WING	HEIGHT	aprox 10mm
------	--------	------------

COMMENTS

On this raced we used Rush additive

FRONT

AERO DISK

YES ☒ NO ☐

ECCENTER

BUMP STEER SHIM

nut mm

FRONT

WHEELBASE

FRONT ☒ REAR ☒

RIDE HEIGHT

7 mm

WHEEL DIAMETER

67 mm

REAR

WHEELBASE

FRONT ☒ REAR ☒

RIDE HEIGHT

8 mm

WHEEL DIAMETER

74 mm

STEER. BLOCK

MEDIUM ☐

HARD ☒

GRAPHITE ☐

UPPER ARM

MEDIUM ☐

HARD ☒

GRAPHITE ☐

ROLL CENTER

SHOCK SHIM

nut mm

SHIM

1.5 mm

FRONT LOWER ARM

G ☒ H ☐ M ☐

REAR LOWER ARM

M ☒ H ☐ G ☐

SHIM

1.5 mm

FRONT

TOE OUT

0.5°

FRONT BRACE

YES ☒ NO ☐

SERVO SAVER

4 3 2 1

FRONT BRACE

YES ☐ NO ☒

FLEX SCREW

YES ☒ NO ☐

REAR

TOE IN

2.5°

FRONT BRACE

YES ☐ NO ☒

FLEX SCREW

YES ☐ NO ☒

CAMBER /degr.

LEFT 2 RIGHT 2

SHOCK PLATE

STEEL ☐

GRAPHITE ☒

LONG ☒

SHORT ☐

SUSP. HOLDERS

STANDARD ☒

+2mm ☐

ROLL CENTER

SHIM

3 mm

CAMBER /degr.

LEFT 2.5 RIGHT 2.5

FRONT

TRACK WIDTH

FRONT X REAR X

BUMPER WINDOW

CUT ☐

NO-CUT ☒

FRONT BALANCE

GRAPHITE ☐

ALU ☐

FRONT BRACE

YES ☐ NO ☒

BALANCE /g

0 0 0 0