

SET-UP SHEET

XB2'21 SET-UP SHEET, VER. 1 ©XRAY 2020

XRAY XB2'21

RACE	Rnd3 Xtreme race	
TRACK		
NAME	Ben Mohamed Noha	DATE 2021-08-23

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION	2	FINAL POSITION	1

TRACK			
SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> VERY-HIGH		
SURFACE	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

TRANSMISSION		
DIFFERENTIAL		
BALL DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>
OIL <input type="text"/> cst		
60° 90° 120°		
SATELLITE GEARS	COMPOSITE <input type="checkbox"/>	STEEL <input type="checkbox"/>
GEARS	2 <input type="checkbox"/>	4 <input type="checkbox"/>
SLIPPER	2 PAD <input checked="" type="checkbox"/>	3 PAD <input type="checkbox"/>

GEARING	
PINION	23 T
SPUR GEAR	78 T

GEAR BOX	
FRONT LCG	<input type="checkbox"/> <input checked="" type="checkbox"/> REAR LCG

FRONT	SHOCKS	REAR
3Dots	SPRINGS	550
cst 550	OIL	cst
<input checked="" type="checkbox"/> 2 HOLES	<input checked="" type="checkbox"/> ø1.6mm	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.7mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	OTHER <input type="text"/>	<input type="checkbox"/> 6 HOLES

FRONT	SHOCK TOWER	REAR
ALU <input type="checkbox"/>	GRAPHITE <input type="checkbox"/>	GRAPHITE <input type="checkbox"/>

FRONT	ANTI ROLL BAR	REAR
THICKNESS <input type="text"/>		

FRONT	TIRES	REAR
BRAND		
COMPOUND		
INSERTS		
WHEELS		

ELECTRONICS		
MOTOR	Nosram	6.5
MOTOR TIMING	30	Nosram 5900
SPEEDO BATTERY		

BODY	
Dirt	<input type="checkbox"/> LIGHT

COMMENT	

FRONT		REAR	
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	SHIM 2 /mm	SHIM 2 /mm
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	FLAT ARM 2 1	DRIVE SHAFT Length 75 /mm	SHIM 4 /mm

FRONT		REAR	
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/>	WING POSITION YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	WING CUTTING LINE / SIDE LINE 1 2 3 4 5	WING TYPE RANK
KICK-UP ° KIT 26° <input checked="" type="checkbox"/>	BUMP STEER SHIM 2 /mm	SHOCK POSITION FRONT <input type="checkbox"/> REAR <input type="checkbox"/>	WING POSITION UP <input checked="" type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input type="checkbox"/>

FRONT TOE		REAR TOE	
1	OUT	IN	
OFFSET /slots	EXTENSION 0 SLOTS <input type="checkbox"/> 1 SLOT <input type="checkbox"/> 2 SLOTS <input type="checkbox"/> 3 SLOTS <input checked="" type="checkbox"/>	BATTERY PLACEMENT LONG SIDE FRONT 1 2 3 LONG SIDE REAR 1 2 3	OFFSET 3 /slots
WHEELBASE SHIM 2 /mm	ROLL CENTER HARD <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	BATTERY SIZE STD. SHORT <input checked="" type="checkbox"/> LOW SHORT <input type="checkbox"/>	WHEELBASE SHIM 2 /mm

STEERING ARMS		REAR ROLL CENTER HOLDERS	
HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	CARPET <input checked="" type="checkbox"/> DIRT <input type="checkbox"/>	ECCENTRIC BUSHINGS RF 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>	RR 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>
STEERING PLATE HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	SHIMS /mm		

FRONT CAMBER		REAR CAMBER	
2		2	
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	DIFF HEIGHT 1 2 3 4 5 6 7 8	REAR ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	DIFF HEIGHT 1 2 3 4 5 6 7 8
	RISE HEIGHT 20 /mm		RISE HEIGHT 21 /mm

ARM MOUNT		ECCENTRIC SHOCK BALL	
COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	FRONT <input type="checkbox"/> REAR <input type="checkbox"/>
CHASSIS BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	SERVO POSITION 1 2 3	BALANCE 10 g	BALANCE 17 g
SERVO WEIGHT STANDARD <input type="checkbox"/> LOW PROFILE <input type="checkbox"/>	ARM SHIM /mm	CHASSIS SHORT <input checked="" type="checkbox"/> MID (KIT) <input type="checkbox"/> LONG <input type="checkbox"/>	CHASSIS FLEX SCREW USED <input checked="" type="checkbox"/> SCREW NOT USED <input type="checkbox"/>