

SET-UP SHEET

XB2'21 SET-UP SHEET, VER. 1 ©XRAY 2020

XRAY XB2'21

RACE	Test Astro	
TRACK	Hoeco	
NAME	Martin Bayer	DATE 2021-08-31

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION		FINAL POSITION	

TRACK			
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH		
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

TRANSMISSION			
DIFFERENTIAL			
BALL DIFF	<input type="checkbox"/>	GEAR DIFF	<input checked="" type="checkbox"/>
OIL		12K	cst
SATELLITE GEARS		COMPOSITE	<input checked="" type="checkbox"/> STEEL
SLIPPER		2 PAD	<input checked="" type="checkbox"/> 3 PAD

GEARING	
PINION	23
SPUR GEAR	78

GEAR BOX	
FRONT LCG	<input checked="" type="checkbox"/>
REAR LCG	<input type="checkbox"/>

FRONT	SHOCKS	REAR
! dotz 42mm	SPRINGS	300
cst 475	OIL	cst
<input type="checkbox"/> 2 HOLES	<input type="checkbox"/> ø1.6mm	<input type="checkbox"/> 2 HOLES
<input checked="" type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.7mm	<input checked="" type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	OTHER	<input type="checkbox"/> 6 HOLES
DOWNSTOP SHIM	1,4mm	DOWNSTOP SHIM
UPSTOP SHIM	1,6mm	UPSTOP SHIM
COLLAR	STANDARD	COLLAR
<input checked="" type="checkbox"/> KIT	BALL JOINT	<input checked="" type="checkbox"/> KIT

FRONT	SHOCK TOWER	REAR
ALU	<input type="checkbox"/>	GRAPHITE
GRAPHITE	<input type="checkbox"/>	ALU

FRONT	ANTI ROLL BAR	REAR
THICKNESS		

FRONT	TIRES	REAR
no cut	BRAND	no glue
	COMPOUND	
	INSERTS	
	WHEELS	

ELECTRONICS		
MOTOR	HW 6,5T	HW XR10 PR
MOTOR TIMING	30	Sunpadow 38
SPEEDO		BATTERY

BODY	
Gamma 2CL	<input checked="" type="checkbox"/> LIGHT

COMMENT	

FRONT	APPLIED	REAR
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>	LONGER BUSHINGS UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	SHIM 2 /mm
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	SHIM 0 /mm	REAR UPRIGHT HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>
SHIM 2 /mm	DRIVE SHAFT Length 75 /mm	SHIM 4 /mm
FLAT ARM 1 2 3 4	XB2D SUSP. ARM 1 2 3	XB4 SUSP. ARM 1 2

FRONT	WING POSITION	SHOCK TOWER
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	<input type="checkbox"/>
KICK-UP ° KIT 26° <input checked="" type="checkbox"/>	BUMP STEER SHIM 5 /mm	SHOCK POSITION FRONT <input type="checkbox"/> REAR <input type="checkbox"/>
WING CUTTING LINE / SIDE LINE 1 2 3 4 5	WING TYPE 323511	WING POSITION UP <input type="checkbox"/> MIDDLE <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>

FRONT TOE	EXTENSION	REAR TOE
1	0 SLOTS <input type="checkbox"/> 1 SLOT <input type="checkbox"/> 2 SLOTS <input type="checkbox"/> 3 SLOTS <input checked="" type="checkbox"/>	1
OFFSET 0 /slots	BATTERY PLACEMENT LONG SIDE FRONT <input type="checkbox"/> LONG SIDE REAR <input checked="" type="checkbox"/>	OFFSET 6 /slots
WHEELBASE SHIM 2 /mm	BATTERY SIZE STD. SHORT <input type="checkbox"/> LOW SHORT <input checked="" type="checkbox"/>	WHEELBASE SHIM /mm
ROLL CENTER HARD <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	GUARD BRACE FLEX SHIM 4 /mm	ROLL CENTER HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>

STEERING ARMS	REAR ROLL CENTER HOLDERS
HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	ECCENTRIC BUSHINGS RF 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>
STEERING PLATE HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	RR 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
0,5	2,5	
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	REAR ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	
RIDE HEIGHT 16 /mm	RIDE HEIGHT 16 /mm	RIDE HEIGHT 16 /mm

ARM MOUNT	ECCENTRIC SHOCK BALL	ARM SHIM
COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	6 /mm
CHASSIS BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	BALANCE 55 g	CHASSIS SHORT <input type="checkbox"/> MID (KIT) <input checked="" type="checkbox"/> LONG <input type="checkbox"/>
SERVO WEIGHT STANDARD <input checked="" type="checkbox"/> LOW PROFILE <input type="checkbox"/>	CHASSIS FLEX SCREW USED <input checked="" type="checkbox"/> SCREW NOT USED <input type="checkbox"/>	