

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	EFRA European Championships 2022				
TRACK	Hudy Arena Outdoor				
NAME	Alexander Hagberg	DATE	26/06/2022		

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
40-55	2	3	17.3 /sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE <input checked="" type="checkbox"/> YES		
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 9000 /cSt
PINION 29 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.8
350	OIL /cSt	350
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

PISTONS	
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> 3 HOLES
<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> PSS

SHOCK LENGTH FRONT 8.5 /mm	SHOCK LENGTH REAR 8.5 /mm
----------------------------	---------------------------

1.1 THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm 1.2
------------------	---------------	------------------

HUDY A1-36	TIRES	HUDY A1-36
HUDY Asphalt	ADDITIVE	HUDY Asphalt
10	ADDITIVE TIMING	10

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT
------------	-------------	--------------	-----------	------------

TOTAL WEIGHT 1320 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR HW G3 4.5T	TIMING
------------------	--------

ESC HW XR10 PRO G2S	BATTERIES	Sunpadow 5500 LCG
---------------------	-----------	-------------------

BODY Twister L	WING	Twister L
----------------	------	-----------

67 /mm	Dimension from body post to window bottom line	BODY POSITION
29 /mm	Dimension from body post to upper holder	WING SIDE PLATE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
65 /mm	Dimension from edge to surface	

COMMENTS
0.25mm under T-brace.

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	4.5 /mm	19 /mm	6 /mm		Adjust with eccentric bushings	6 /mm
2.0 /mm FF	5.2 /mm	FR 2.0 /mm	<input type="checkbox"/> SERVO SAVER		3.0 /mm RF	5.6 /mm
<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> SERVO HORN			<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT

FRONT CAMBER	FRONT SUSPENSION	FRONT HUB
2.0 /deg. Left = Right	FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>	SHIM 0.5 /mm
DRIVE SHAFT 58mm 59mm STD. BEARING	FRONT SHOCK POSITION 1 2 3 4	
	HUDY	

REAR CAMBER	REAR SUSPENSION	REAR HUB
2.25 /deg. Left = Right	REAR BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
BODY POST VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>	SHIM 0.5 /mm
DRIVE SHAFT 52mm 54mm STD. BEARING	REAR SHOCK POSITION 1 2 3 4	
	HUDY	

FRONT TOP VIEW	REAR TOP VIEW
1.25 TOE OUT Left = Right	2.5 TOE IN Left = Right
ACKERMANN SHIM 0.5 /mm	SHIM 0 /mm
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>
STEERING BRIDGE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TOP DECK FLEX NONE <input type="checkbox"/> BEARING <input type="checkbox"/>
TOP DECK STANDARD <input type="checkbox"/> SPLITTED <input checked="" type="checkbox"/>	TOP DECK 1.6mm <input type="checkbox"/> 2.0mm <input type="checkbox"/>
OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm	OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW	REAR BOTTOM VIEW
STEER. LOCK 29 /deg.	T-BRACE ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 0 /mm	FR MOTOR MOUNT
FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	CHASSIS T-BRACE
FR SERVO HOLDER	CHASSIS
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	