

SET-UP SHEET

SET-UP VER.01 ©XRAY

XRAY XB8E'22 PIVOT BALL

RACE	Czech Nationals 2022		
TRACK	RCA Sta e		
NAME	Max	DATE	27.8.2022
TEMPERATURE AIR		TEMPERATURE TRACK	
LAPS	FINAL POSITION	BEST LAPTIME	RACE LENGTH
	1	/sec	10 /min
TRACKS			
SIZE	<input checked="" type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input checked="" type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input type="checkbox"/> BLUE GROVE	<input type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS
CONDITION	<input type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input checked="" type="checkbox"/> WET
			<input type="checkbox"/> MUD

DIFFERENTIAL			
FRONT	CENTER	REAR	CASE MATERIAL
Kit	Kit	Kit	
OIL	7k	7k	3k
CROWN GEAR	46	46	CROWN GEAR

GEARING			
MOTOR PINION	17	/T	46
			SPUR GEAR

FRONT	SHOCKS	REAR
Kit	TYPE	Kit
4 dot	SPRINGS	3 dot
Soft	MEMBRANE	Soft
600 /cSt	OIL	550 /cSt
<input checked="" type="checkbox"/> 6 HOLES	PISTONS	<input checked="" type="checkbox"/> 6 HOLES
<input type="checkbox"/> 8 HOLES	1.1 mm	<input type="checkbox"/> 8 HOLES
<input type="checkbox"/> 10 HOLES	1.2 mm	<input type="checkbox"/> 10 HOLES
	1.3 mm	<input checked="" type="checkbox"/> 10 HOLES
	1.4 mm	<input type="checkbox"/> 10 HOLES
	OTHER	
VALVE PISTONS		
5+2 HOLES	1.5 mm	5+2 HOLES
6+2 HOLES	1.3 mm	6+2 HOLES
8+2 HOLES	1.4 mm	8+2 HOLES
	1.2 mm	
	1.3 mm	

FRONT	ANTI-ROLL BAR	REAR
2.0 /mm	THICKNESS	2.2 /mm

FRONT	TIRES	REAR
Hotrace	BRAND	Sahara
Clay	COMPOUND	
Hotrace	INSERTS	
Hotrace	WHEELS	White

ELECTRONICS			
MOTOR	HW 1900KV G3		
SPEEDO	HW XR8 Pro		
BATTERY TYPE	Sunpadow 8000mAh		
SADDLE PACK	<input checked="" type="checkbox"/>	BRICK PLATE	<input type="checkbox"/>
FR	STANDARD BATT.	RR	ESC
	SHORT BATT.		ESC
			SHORT
			STANDARD

BODY	OTHER	TOTAL WEIGHT
EASY	EASY LIGHT	/g
<input type="checkbox"/>	<input checked="" type="checkbox"/>	

FRONT		REAR	
PIVOT BALLS	STEERING BLOCK	SHOCK TOWERS	UPRIGHT
UP STEEL <input checked="" type="checkbox"/> ALU	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	FRONT ALU <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU	MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>
DOWN STEEL <input checked="" type="checkbox"/> ALU		REAR ALU <input type="checkbox"/>	ALU <input type="checkbox"/>
OFFSET	UPPER ARM SHIM /mm	UPPER SHOCK POSITION	FLAT <input checked="" type="checkbox"/> LSM
0 +1 +2	0 1 1.5 2		
PIVOT NUT	FRONT LOWER SHOCK POSITION	REAR LOWER SHOCK POSITION	UPRIGHT ROLL CENTER
ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>			
FRONT DROOP	LOWER ARM SHIM	REAR DROOP	OFFSET
MEASURE UNDER WHEEL AXLE #107717 GAUGE	0 1mm 2mm	MEASURE UNDER WHEEL AXLE #107717 GAUGE	0 +1 +2

FRONT	REAR
UPPER ROLL CENTER	REAR WING
1° <input checked="" type="checkbox"/> 0.5°	<input checked="" type="checkbox"/> COMPOSITE <input type="checkbox"/> LEXAN OTHER
1° <input checked="" type="checkbox"/> 0.5°	FRONT MIDDLE REAR
CASTER SHIM	WING HOLDER
0 1.0 1.0 2.0	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>
UPPER ARM POSITION	
BUMP STEER SHIM	GRAPHITE BRACE
STEERING PLATE 0 /mm	WITHOUT <input type="checkbox"/> 1-PIECE <input type="checkbox"/> 2-PIECES <input checked="" type="checkbox"/>
STEERING BLOCK 0 /mm	
SHIMS PLACE ALWAYS UNDER	
WHEELBASE SHIM POSITION	WHEELBASE SHIM POSITION
0mm 2mm 4mm	0mm 2mm 4mm
SHIMS BEHIND FRONT ARM	SHIMS IN FRONT OF REAR ARM
FRONT LOWER ROLL CENTER	REAR LOWER ROLL CENTER
ECCENTRIC BUSHINGS	

2 FRONT TOE OUT	STEERING PLATE	SIDE GUARD	WHEELBASE	3 REAR TOE IN
	1 DOT <input type="checkbox"/> 2 DOTS <input checked="" type="checkbox"/>	SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	0mm 1mm 2mm 3mm 4mm	
			SHIMS IN FRONT OF UPRIGHT	
	SERVO SAVER	GRAPHITE BRACE	REAR DRIVE SHAFT	
	TIGHT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> SOFT <input type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/> LENGHT /mm	
FRONT DRIVE SHAFT	ACKERMANN POSITION			
CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/> LENGHT /mm	4 3 2 1			
TOP DECK	DRIVE SHAFT	DRIVE SHAFT		
COMPOSITE <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	CVD <input checked="" type="checkbox"/> DOGBONE <input type="checkbox"/>	CVD <input checked="" type="checkbox"/> DOGBONE <input type="checkbox"/>		

FRONT	FRONT CAMBER	107 /mm	FULL TRAVEL SHOCKS LENGTH	127 /mm	REAR CAMBER	2	REAR
	LENGTH				LENGTH		
UPPER ARM	SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>						
LOWER ARM	SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>						
	RISE HEIGHT	23 /mm	RISE HEIGHT	27 /mm	RISE HEIGHT		
		#107717 GAUGE		#107717 GAUGE			