

SET-UP SHEET

RX8'23 SET-UP SHEET VER. 1 ©XRAY

XRAY RX8'23

RACE	nationals R2		
TRACK	locorotondo		
NAME	Filippo	DATE	04/09

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
6	4	14.6 /sec	/	

TRACKS			
TRACK CONDITION	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
	<input checked="" type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input checked="" type="checkbox"/> FAST
TRACK TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

GEARING			
PINION	1st 17 <input type="checkbox"/> 18 <input checked="" type="checkbox"/> 19 <input type="checkbox"/>	SPUR	1st 57 <input type="checkbox"/> 58 <input type="checkbox"/> 59 <input checked="" type="checkbox"/> 60 <input type="checkbox"/>
	2nd 22 <input checked="" type="checkbox"/> 23 <input type="checkbox"/> 24 <input type="checkbox"/> 25 <input type="checkbox"/>		2nd 53 <input checked="" type="checkbox"/> 54 <input type="checkbox"/> 55 <input type="checkbox"/>
PULLEY	28 <input type="checkbox"/> 29 <input checked="" type="checkbox"/> 30 <input type="checkbox"/>	RATIO 1st	RATIO 2nd 1.

FRONT	SHOCKS	REAR
8.0	SPRING	5.6
500 cSt	OIL	600 cSt
0 %	REBOUND	0 %
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	1.0mm	1.0mm
<input type="checkbox"/> OTHER	1.1mm	1.1mm
	1.2mm	1.2mm
		3 HOLES
		OTHER

FRONT	WIRE	REAR
2.2 mm		3.0 mm

FRONT	TIRES	REAR
LEFT	RIGHT	LEFT
HR	MANUFACTURER	HR
	SHORE /deg.	
	DIAMETER	
	5 MIN. WEAR	
	RUBBER TIRES	

ENGINE			
ENGINE	MAX	FUEL	SRC PEPE
CARB. DIA /mm	9	HEAD CLEARANCE	.55 PLUG 8
MUFFLER	2164	MANIFOLD	02099

CLUTCH / BRAKE			
CLUTCH TYPE	<input checked="" type="checkbox"/> STANDARD	OTHER	
CLUTCH BELL	<input type="checkbox"/> STANDARD	<input checked="" type="checkbox"/> ALU	OTHER
CLUTCH SHOE	<input checked="" type="checkbox"/> STANDARD	OTHER	
CLUTCH SPRING	<input checked="" type="checkbox"/> STANDARD	OTHER	
CLUTCH FLY WEIGHT	<input checked="" type="checkbox"/> 3mm Set screw	<input type="checkbox"/> 4mm Set screw	<input type="checkbox"/> WITHOUT
CLEARANCE /mm	0.5		
SPRING PRELOAD /mm	1		
BRAKE PAD	<input checked="" type="checkbox"/> STANDARD	OTHER	
BRAKE DISC	<input checked="" type="checkbox"/> STANDARD	OTHER	

BODY	SUPERDIABLO PRECUT
------	--------------------

WING	HEIGHT	7MM
------	--------	-----

COMMENTS

FRONT

AERO DISK

YES ☐ NO ☒

ECCENTER

BUMP STEER SHIM

3 mm

FRONT

WHEELBASE

FRONT ☒ REAR ☒

9 mm

SET UP mm

WHEEL DIAMETER

0mm 2mm

WHEELBASE

FRONT ☒ REAR ☒

2mm 0mm

2mm 0mm

WHEEL DIAMETER

SETUP mm

WHEELBASE

FRONT ☒ REAR ☒

2mm 0mm

2mm 0mm

STEER. BLOCK

MEDIUM ☐

HARD ☒

GRAPHITE ☐

UPPER ARM

MEDIUM ☐

HARD ☒

GRAPHITE ☐

ROLL CENTER

SHOCK SHIM

2 mm

SHIM

1.5 mm

UPPER SHOCK POSITION

ROLL CENTER

UPPER ARM

MEDIUM ☐

HARD ☒

GRAPHITE ☐

SHIM

1.5 mm

FRONT

LOWER ARM

G ☒ H ☐ M ☐

REAR

G ☐ H ☒ M ☐

MEASURE UNDER STEERING BLOCK

-1 mm

FRONT DOWNSTOP

REAR

7 mm

MEASURE UNDER REAR UPRIGHT

TOE OUT

1+1°

OUTER ACKERMANN POSITION

UPPER ARM SHIMS

0 1 2 3 4

FRONT BRACE

YES ☐ NO ☒

SERVO SAVER

4 3 2 1

FRONT BRACE

YES ☐ NO ☒

FLEX SCREW

YES ☐ NO ☐

TOE IN

3°

UPPER ARM SHIMS

0 1 2 3 4

FRONT BRACE

YES ☐ NO ☒

SERVO SAVER

4 3 2 1

FRONT BRACE

YES ☐ NO ☒

FLEX SCREW

YES ☐ NO ☐

CAMBER /deg.

LEFT 1.5 RIGHT 1.5

SHOCK PLATE

STEEL ☐

GRAPHITE ☒

LONG ☒

SHORT ☐

SUSP HOLDERS

STANDARD ☒

+2mm ☐

ROLL CENTER

SHIM

2 mm

CAMBER /deg.

LEFT 2.5 RIGHT 3

FRONT

250 mm

FRONT TRACK WIDTH

REAR

260 mm

BUMPER WINDOW

CUT ☐ NO-CUT ☒

FRONT BALANCE

GRAPHITE ☐

ALU ☐

FRONT BRACE

YES ☐ NO ☒

BATTERIES HOLDER

BRASS ☐

GRAPHITE ☐

COMPOSITE ☐

ENGINE MOUNT

2 MOUNTS BLOCK ☒

MONOBLOCK ☐

ALU ☒

BRASS ☐