

# SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

# XRAY X4'23

RACE	Practice Scandiano		
TRACK			
NAME	Fabrizio Batisti	DATE	04/01/23

QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
		11,6 /sec	/	

TRACK			
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT	
TRACK LAYOUT	<input checked="" type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 10000 /cSt
PINION 28 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2,5/2,8	XRAY SPRINGS	2,7
350	OIL /Cst	350
0	REBOUND %	0
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH	/mm	/mm	SHOCK LENGTH

1,3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1,2
-----	--------------	---------------	--------------	-----

Hotrace 32	TIRES	Hotrace 32
Phub white	ADDITIVE	Phubwhite
5/10 min	ADDITIVE TIMING	5/10 min

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1320 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR 5,0	TIMING
ESC HW	BATTERIES Lrp 4000
BODY Twister speciale	WING Twister standard

66 /mm	Dimension from body post to window bottom line	BODY POSITION
/mm	Dimension from body post to upper holder	WING SIDE PLATE
63 /mm	Dimension from edge to surface	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>

1.6mm <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 1.6mm	
X4'23	
X4'22	
X4'22	
NONE <input type="checkbox"/> BEARING <input type="checkbox"/>	

COMMENTS

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm		UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
0,5 /mm FF		TOE GAIN 3 /mm
5,2 /mm RIDE HEIGHT		1 /mm RF
FR 0,5 /mm		5,4 /mm RR
<input type="checkbox"/> SERVO SAVER		<input checked="" type="checkbox"/> SERVO HORN

2 /deg. CAMBER	Left = Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
FRONT SUSPENSION		FRONT SHOCK POSITION
0,5 /mm SHIM		2 /mm
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>
DRIVE SHAFT 58mm 59mm		BEARING BLADE
#107702 Chassis Droop Gauge Blocks		#107712 Chassis Droop Gauge
6 /mm DOWNSTOP		

2 /deg. CAMBER	Left = Right	BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>
REAR SUSPENSION		REAR SHOCK POSITION
0,5 /mm SHIM		2 /mm
REAR HUB HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>		SHIM 0,5 /mm
DRIVE SHAFT 52mm 54mm		BEARING BLADE
#107702 Chassis Droop Gauge Blocks		#107712 Chassis Droop Gauge
4 /mm DOWNSTOP		

FRONT TOP VIEW	REAR
1 TOE OUT Left = Right	3 TOE IN Left = Right
ACKERMANN SHIM 20 /mm	SHIM 0 /mm
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>	UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. 7.5mm
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 26 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 7,5 /mm	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/> Alu 7075	