

SET-UP SHEET

X4'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4'24

RACE	MR Cup round 6				
TRACK	Jedovnice				
NAME	Martin Hudy		DATE		
QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME	
1st	1st	/sec	/		

TRACK					
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT			
TRACK LAYOUT	<input checked="" type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input type="checkbox"/> FAST		
TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH		

FRONT		TRANSMISSION		REAR	
GEAR DIFF OIL	/cSt	<input type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL	7k	/cSt
PINION	28	SPUR GEAR	110	FINAL DRIVE RATIO	

FRONT		SHOCKS		REAR	
C2.5-2.8	XRAY SPRINGS	C2.6			
425	OIL /cSt	425			
0	REBOUND %	0			
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO			
<input type="checkbox"/> 4 HOLES	1.1mm	1.1mm	<input type="checkbox"/> 4 HOLES		
<input checked="" type="checkbox"/> PSS	1.2mm	1.2mm	<input checked="" type="checkbox"/> PSS		
2x0.8		2x0.8			
SHOCK LENGTH	8.5 /mm	8.5 /mm	SHOCK LENGTH		
1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3	

HUDY C3		TIRES ADDITIVE ADDITIVE TIMING WIPE OFF TIME TIRE WARMERS	HUDY C3	
HUDY RED			HUDY RED	
10 min			10 min	
1 min			1 min	
Timing:	Temp.:		Timing:	Temp.:
FRONT LEFT	FRONT RIGHT		REAR LEFT	REAR RIGHT
TREATED AREA				

TOTAL WEIGHT	1300	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
--------------	------	----------------	------------	-----------

MOTOR	HW 5T	TIMING	
ESC		BATTERIES	NOSRAM 4200
BODY	Twister UL	WING	Twister Speciale UL

66 /mm	Dimension from body post to window bottom line	BODY POSITION
7th + 2	Dimension from body post to upper holder	WING SIDE PLATE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
64 /mm	Dimension from edge to surface	

1.6mm	<input checked="" type="checkbox"/> 2.0mm	<input checked="" type="checkbox"/> 1.6mm
X4'23	<input checked="" type="checkbox"/>	<input type="checkbox"/>
X4'22	<input type="checkbox"/>	<input type="checkbox"/>
X4'22	<input type="checkbox"/>	<input type="checkbox"/>
NONE	<input type="checkbox"/>	BEARING

COMMENTS

FRONT CASTER		FRONT & REAR SUSPENSION		REAR CASTER	
5°	4°	BUMP STEER	HEIGHT	SHIM	Adjust with eccentric bushings
2 /mm	19 /mm	8 /mm			
2.5 /mm	4 /mm	FR 2.5 /mm	<input type="checkbox"/> SERVO SAVER	TOE GAIN	3 /mm
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0.5 /mm	5.2 /mm
FRIDE HEIGHT	RRIDE HEIGHT	RR 3 /mm			

FRONT		SHOCK HOLDERS		FRONT HUB	
2 /deg.	CAMBER	SHIM	6 /mm	MEDIUM	<input type="checkbox"/>
Left = Right	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	SHOCK FLEX	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	HARD	<input type="checkbox"/>
17.5 /mm		SHIM	0.5 /mm	GRAPHITE	<input checked="" type="checkbox"/>
DRIVE SHAFT	58mm	59mm	BEARING	BLADE	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	6.6 /mm	DOWNSTOP		

REAR		SHOCK HOLDERS		REAR HUB	
2 /deg.	CAMBER	SHIM	6 /mm	MEDIUM	<input type="checkbox"/>
Left = Right	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	SHOCK FLEX	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	HARD	<input type="checkbox"/>
1 /mm	SHIM	2 /mm	SHIM	1.5 /mm	
DRIVE SHAFT	52mm	54mm	BEARING	BLADE	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	4 /mm	DOWNSTOP		

FRONT TOP VIEW		REAR TOP VIEW	
1	TOE OUT	3	TOE IN
Left = Right	SHIM	0.5 /mm	Left = Right
ACKERMANN	SHORT LiPo BRASS WEIGHT	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
20	BRASS WEIGHT FOR MOTOR MOUNT	12	40g
40g		20	40g
DIFF POSITION	<input type="checkbox"/> UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> +1mm	DIFF POSITION	<input type="checkbox"/> UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> +1mm
UPPER ARM	SOFT MEDIUM <input type="checkbox"/> XS <input checked="" type="checkbox"/>	UPPER ARM	SOFT MEDIUM <input type="checkbox"/> XS <input checked="" type="checkbox"/>
STEERING BRIDGE	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING	SHIM /mm
HUB OFFSET	STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM /mm	STEERING	SHIM /mm
		STEERING	SHIM /mm

FRONT BOTTOM VIEW		REAR BOTTOM VIEW	
26 /deg.	STEER. LOCK	T-BRACE	ALU BRASS
FR	RE	CHASSIS T-BRACE	
SERVO HOLDER	MOTOR MOUNT	FRONT ARMS	REAR ARMS
GRAPHITE	ALU	MEDIUM	MEDIUM
ALU 1.5mm	<input checked="" type="checkbox"/>	HARD	HARD