

SET-UP SHEET

XB2'24 SET-UP SHEET VER. 1 ©XRAY 2023

XRAY XB2'24

RACE	Norwegian Championship		
TRACK	Skien		
NAME	Martin Skar	DATE	2024-08-19

LAPS		BEST LAP TIME		sec
QUALIFYING POSITION	8	FINAL POSITION	6	

TRACK		
SIZE	<input checked="" type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM <input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH	
SURFACE	<input type="checkbox"/> SMOOTH <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> BUMPY	
TYPE	<input type="checkbox"/> CLAY <input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASTRO	
CONDITION	<input type="checkbox"/> BLUE GROOVE <input type="checkbox"/> HARD PACKED <input type="checkbox"/> DRY	<input type="checkbox"/> DUSTY <input type="checkbox"/> LOAMY <input checked="" type="checkbox"/> WET

TRANSMISSION		
BALL DIFF	<input checked="" type="checkbox"/>	GEAR DIFF <input type="checkbox"/> ACTIVE DIFF <input type="checkbox"/>
DIFFERENTIAL	OIL <input type="text"/> cst <input type="text"/> 60° <input type="text"/> 90° <input type="text"/> 120°	
SATELLITE GEARS	COMPOSITE <input type="checkbox"/> STEEL <input type="checkbox"/>	GEARS 2 <input type="checkbox"/> 4 <input type="checkbox"/>
SLIPPER	<input type="text"/> mm <input type="text"/> NUT	2-PAD SLIPPER CLUTCH PLATES
SOLID AXLE	<input type="checkbox"/>	KIT <input type="checkbox"/> VENTILATED <input type="checkbox"/>

GEARING			
PINION	23	SPUR GEAR	78
TYPE	GEAR BOX		
FRONT LCG	<input checked="" type="checkbox"/>	REAR LCG	<input type="checkbox"/>
	KIT <input checked="" type="checkbox"/>	GRAPHITE	<input type="checkbox"/>

FRONT	SHOCKS	REAR
2	SPRINGS	1
cst 350	OIL	cst 300
2 HOLES <input type="checkbox"/>	<input checked="" type="checkbox"/> ø1.6mm <input type="checkbox"/> ø1.8mm	2 HOLES <input type="checkbox"/>
HOLES <input type="checkbox"/>	ø 2.0 mm	HOLES <input type="checkbox"/>
Thickness <input type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 2.5mm	KIT <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	Thickness <input type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 2.5mm
Precision <input checked="" type="checkbox"/> KIT		KIT <input checked="" type="checkbox"/> Precision <input type="checkbox"/>
DOWNSTOP SHIM	INSERT UNDER PISTON	DOWNSTOP SHIM
LENGTH 22 mm		LENGTH 27 mm
UPSTOP SHIM	INSERT ABOVE COLLAR	UPSTOP SHIM
KIT <input checked="" type="checkbox"/> 0mm <input type="checkbox"/> -2mm <input type="checkbox"/> -4mm		KIT <input checked="" type="checkbox"/> 0mm <input type="checkbox"/> -2mm <input type="checkbox"/> -4mm
ALU <input type="checkbox"/>		ALU <input type="checkbox"/>
	BALL JOINT	
<input type="checkbox"/> +4mm <input type="checkbox"/> +2mm <input checked="" type="checkbox"/> KIT		<input type="checkbox"/> +4mm <input type="checkbox"/> +2mm <input checked="" type="checkbox"/> KIT

FRONT	ANTI ROLL BAR	REAR
	THICKNESS	

FRONT	TIRES	REAR
cut stagger	BRAND	mezzo
	COMPOUND	
	INSERTS	
	WHEELS	

ELECTRONICS		
MOTOR	HW 6,5T	HWX XR10 P
MOTOR TIMING	25	LRP 4200
SPEEDO		BATTERY

BODY	<input checked="" type="checkbox"/> LIGHT	TOTAL WEIGHT	/g
------	---	--------------	----

COMMENT

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
CASTER BLOCK MEDIUM - KIT <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU C-HUB <input type="checkbox"/> UP /mm DOWN /mm	LONGER BUSHINGS UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	SHOCK TOWER KIT <input checked="" type="checkbox"/> 4.0mm 3.5mm
STEERING BLOCK MEDIUM - KIT <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	SHIM 2 /mm CAMBER LINK LOCATION	SHIM 2 /mm DRIVE SHAFT <input checked="" type="checkbox"/> KIT /mm SHIM 2 /mm REAR UPRIGHT <input checked="" type="checkbox"/> HIGH <input type="checkbox"/> LOW
ARM MOUNT 0° <input checked="" type="checkbox"/> KIT 0° <input type="checkbox"/> ALU -3° <input type="checkbox"/> ALU +3° <input type="checkbox"/> ALU 0° <input type="checkbox"/> BRASS TOTAL <input type="text"/> KICK-UP°	FRONT WING YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> KIT <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> SHIM 2 /mm ACKERMANN SHIM 2 /mm CASTER BUSHINGS 0° 2.5° 5° <input checked="" type="checkbox"/>	SHIM 0 /mm STANDARD ARM 1 2 DISENGAGED ARM 1 2 3 #325341 ADJ. DRIVE AXLE

FRONT	REAR
ARM MOUNT 0° + CASTER BUSHING 0° = TOTAL 22° KICK-UP	WING TYPE CENTER FIN YES <input type="checkbox"/> NO <input type="checkbox"/> WING POSITION UP <input checked="" type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input type="checkbox"/>

FRONT TOE	REAR TOE
1	3
OUT	IN
OFFSET 1 /slots WHEELBASE 0 /mm ROLL CENTER KIT <input checked="" type="checkbox"/> ALU <input type="checkbox"/> STEERING PLATE KIT <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ARMS KIT <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	OFFSET 1 /slots WHEELBASE 2 /mm ROLL CENTER KIT <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>
BATTERY PLACEMENT LONG SIDE FRONT <input type="checkbox"/> LONG SIDE REAR <input checked="" type="checkbox"/>	MOTOR PLATE KIT <input checked="" type="checkbox"/> BATTERY SIZE STD. SHORT <input type="checkbox"/> LOW SHORT <input type="checkbox"/> UPPER BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> COOLING FRONT <input type="checkbox"/> REAR <input type="checkbox"/>

FRONT	REAR
RF 0.5° <input checked="" type="checkbox"/> 1° <input type="checkbox"/> RR 0.5° <input checked="" type="checkbox"/> 1° <input type="checkbox"/>	ROLL CENTER SUSPENSION HOLDERS Raising the suspension holders with shims.
REAR LOWER SUSPENSION HOLDER 1° - REAR Raising the suspension holders with shims.	

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
1.5°	2	
GLUING SIDEWALL YES <input type="checkbox"/> NO <input type="checkbox"/>	CUTTING PINS IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> NO <input type="checkbox"/>	REAR ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
FRONT ARM MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>	RISE HEIGHT 20 /mm #107721 GAUGE	RISE HEIGHT 20 /mm

SERVO WEIGHT	LOWER ECCENTRIC SHOCK BALL	ARM SHIM	CHASSIS SIZE
STANDARD <input checked="" type="checkbox"/> LOW PROFILE <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	0 /mm	SHORT <input type="checkbox"/> MID-SIZE <input checked="" type="checkbox"/> LONG <input type="checkbox"/>
ARM MOUNT BALANCE #293085 HUDY Pure Tungsten Weight - 10g.	BALANCE 13 /g BALANCE 30 /g BALANCE 35 /g	ELECTRONICS PLATE NO <input type="checkbox"/> GRAPHITE <input type="checkbox"/> WEIGHT <input checked="" type="checkbox"/>	THICKNESS 2.5mm KIT <input checked="" type="checkbox"/> 2.0mm <input type="checkbox"/>