

SET-UP SHEET

XRAY XB4'22

RACE	EC Warm-up	
TRACK	RHR	
NAME	Bruno	DATE

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION		FINAL POSITION	

TRACK			
SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH		
SURFACE	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
BALL DIFF <input type="checkbox"/>	SLIPPER <input type="checkbox"/>	BALL DIFF <input type="checkbox"/>
ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>
60° 90° 120°	60° 90° 120°	60° 90° 120°
OIL 7K cSt	OIL 200K cSt	OIL 5K cSt

SATELLITE GEARS		
COMPOSITE <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input checked="" type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input checked="" type="checkbox"/>
40T <input checked="" type="checkbox"/> 41T	CROWN GEAR	40T <input checked="" type="checkbox"/> 41T

CENTRAL SLIPPER & ONE-WAY SETTING	
	ONE-WAY TIGHTNESS
SLIPPING ADJUSTMENT	LOOSE
	1 CCW TURN (BASIC SETUP)
	FULLY TIGHTEN

GEARING	
PINION 20	81 CENTER DIFF SPUR

FRONT	SHOCKS	REAR
2 dots 42mm	SPRINGS	3 dots 57mm
cSt 650	OIL	cSt 350
REBOUND		
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.2mm	<input checked="" type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> ø1.3mm	<input type="checkbox"/> 6 HOLES
	<input type="checkbox"/> ø1.4mm	
	<input type="checkbox"/> ø1.6mm	
	<input type="checkbox"/> ø1.7mm	
	CUSTOM PISTONS	
	1.6 mm 1.7 mm	

FRONT	ANTI ROLL BAR	REAR
2,0 mm	THICKNESS	1,8 mm

FRONT	TIRES	REAR
Mezzo	BRAND	Mezzo
Y	COMPOUND	Y
Cragg	INSERTS	Cragg
XRAY	WHEELS	XRAY

ELECTRONICS		
MOTOR	HW 5,5T	HW XR10 PRO
MOTOR TIMING	30	Sunpadow LCG
BATTERY SIZE		BATTERY
STD. SHORT <input type="checkbox"/> <input checked="" type="checkbox"/> LOW SHORT		

BODY	
TYPE	Gamma 4CL STANDARD <input type="checkbox"/> LIGHT <input checked="" type="checkbox"/>

COMMENTS

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
ALU C-HUB SHIM UP /mm DOWN /mm LONGER BUSHINGS UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> DRIVE SHAFT CVD <input type="checkbox"/> ECS <input checked="" type="checkbox"/> Length 83 /mm SHIM 0 mm LOWER SHOCK POSITION #107711 GAUGE	SHIM 2 mm DRIVE SHAFT Length 77 /mm SHIMS 2 /mm HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> #325341 ADJ. DRIVE AXLE 1 2 3 4 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> DOWNSTOP #107711 GAUGE	REAR UPRIGHT SHIMS 2 /mm HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> #325341 ADJ. DRIVE AXLE 1 2 3 4 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> DOWNSTOP #107711 GAUGE

FRONT	WING CUTTING LINE	WING SIDE LINE
CASTER 6° <input type="checkbox"/> 7° <input checked="" type="checkbox"/> 12° <input type="checkbox"/> OFFSET 3 BUMP STEER SHIM 2 mm	1 2 3 4 5 OFFSET 2 /slots UPRIGHT WHEELBASE SHIM 3 /mm IN FRONT OF ARM	HIGHER <input type="checkbox"/> LOWER <input checked="" type="checkbox"/> WING POSITION UP <input type="checkbox"/> MIDDLE <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> WING THICKNESS 0.75 <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 1.5 TYPE Tec

FF	RF	RR 2°
1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>

FRONT TOE	STEER. PLATE	REAR TOE
2	HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> BUMP STEER SHIM 2 mm SHIM UNDER STEER. PLATE SERVO SAVER SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> TIGHT <input checked="" type="checkbox"/> MATERIAL STANDARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	3 GRAPHITE FOR REAR BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> REAR BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> ARM SHIM 2 mm

FRONT CAMBER	FRONT DIFF HEIGHT	REAR DIFF HEIGHT	REAR CAMBER
2	DOWNSTOP SHIM 0 mm LENGTH 22,5 mm UPSTOP SHIM 0 mm COLLAR STANDARD <input checked="" type="checkbox"/> -2mm	2 DOWNSTOP SHIM 0 mm LENGTH 29,5 mm UPSTOP SHIM 0 mm COLLAR STANDARD <input checked="" type="checkbox"/> -2mm	2 DOWNSTOP SHIM 0 mm LENGTH 29,5 mm UPSTOP SHIM 0 mm COLLAR STANDARD <input checked="" type="checkbox"/> -2mm

FRONT ARMS	BALANCE	SIDE GUARDS	BALANCE	REAR ARMS
LONG <input type="checkbox"/> SHORT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	0 g	HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	0 g	LONG <input checked="" type="checkbox"/> SHORT <input type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
CHASSIS FLEX SCREW USED <input type="checkbox"/> SCREW NOT USED <input checked="" type="checkbox"/>				