

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	Snowbird Nationals 2023		
TRACK	Wyndham Resort		
NAME	Alexander Hagberg	DATE	05/02/2023

QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
3	3	/sec	/	

TRACK			
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT	
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 8000 /cSt
PINION 28 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.6
450	OIL /cSt	450
25	REBOUND %	25
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 4 HOLES	1.1mm	1.1mm	4 HOLES
<input checked="" type="checkbox"/> PSS	1.2mm	1.2mm	PSS
2x0.8			2x0.8
SHOCK LENGTH 8.5 /mm			SHOCK LENGTH 8.5 /mm

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Jaco Blue	TIRES	Jaco Blue
HUDY Red	ADDITIVE	HUDY Red
10	ADDITIVE TIMING	10

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1325 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR	HW G3 5.0T	TIMING	
ESC	HW XR10 PRO G2S	BATTERIES	Nosram 4200
BODY	Twister UL	WING	Speciale L

66 /mm	Dimension from body post to window bottom line	BODY POSITION
th hole +2, o-rin /mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
64 /mm	Dimension from edge to surface	

X4'23	1.6mm <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 1.6mm	
X4'22	2.0mm <input type="checkbox"/> 2.0mm <input type="checkbox"/>	
X4'22	2.0mm <input type="checkbox"/> 1.6mm <input type="checkbox"/>	
	NONE <input type="checkbox"/> BEARING <input type="checkbox"/>	

Tires cleaned with additive	
-----------------------------	--

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm		UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
2.5 /mm FF	BUMP STEER 3 /mm	TOE GAIN 4.0 /mm
5.2 /mm	HEIGHT 19 /mm	3.0 /mm RF
FR 2.5 /mm	SHIM 1.5 /mm	5.4 /mm RR
<input checked="" type="checkbox"/> SERVO SAVER		<input checked="" type="checkbox"/> SERVO HORN
<input type="checkbox"/> SERVO HORN		

FRONT	FRONT SUSPENSION	FRONT HUB
2.0 /deg. CAMBER	Body Stop YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	HARD <input type="checkbox"/>
Left = Right	FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	GRAPHITE <input checked="" type="checkbox"/>
	FRONT SHOCK POSITION	ALU <input type="checkbox"/>
	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	SHIM 1.0 /mm
	DRIVE SHAFT 58mm 59mm BEARING BLADE	
	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
		6.0 /mm DOWNSTOP

REAR	REAR SUSPENSION	REAR HUB
2.0 /deg. CAMBER	Body Post VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	HARD <input type="checkbox"/>
Left = Right	REAR SHOCK POSITION	GRAPHITE <input checked="" type="checkbox"/>
	SHIM 1.5 /mm	ALU <input type="checkbox"/>
	DRIVE SHAFT 52mm 54mm BEARING BLADE	
	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
		4.4 /mm DOWNSTOP

FRONT TOP VIEW	REAR
1.0 TOE OUT	3.0 TOE IN
Left = Right	Left = Right
ACKERMANN SHIM 0.5 /mm	SHIM 0 /mm
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN
UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. <input type="checkbox"/> 7.5mm
HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 25 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 7.5 /mm	
FR RE SERVO HOLDER	MOTOR MOUNT
FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>
	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>