

SET-UP SHEET

XRAY XB2'20

RACE	Club Series		
TRACK	Castle Hill		
NAME	Ari Bakla	DATE	2020-07-09

LAPS		BEST LAP TIME	23.6 sec
QUALIFYING POSITION	1	FINAL POSITION	1

TRACK			
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> VERY-HIGH		
SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input checked="" type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input type="checkbox"/> ASTRO
CONDITION	<input checked="" type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

TRANSMISSION			
DIFFERENTIAL	BALL DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input type="checkbox"/>	OIL 1 cSt
SATELLITE GEARS	COMPOSITE <input type="checkbox"/>	STEEL <input type="checkbox"/>	GEARS 2 <input type="checkbox"/> 4 <input type="checkbox"/>
SLIPPER	2 PAD <input checked="" type="checkbox"/>	3 PAD <input type="checkbox"/>	<input type="checkbox"/> mm

GEARING			
PINION	25	SPUR GEAR	81

GEAR BOX	
FRONT LCG	<input type="checkbox"/> FRONT <input checked="" type="checkbox"/> REAR

FRONT	SHOCKS	REAR
1 Dot	SPRINGS	450
cSt 400	OIL	cSt
<input checked="" type="checkbox"/> 2 HOLES	<input checked="" type="checkbox"/> 2 HOLES	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> 6 HOLES
SHOCK BODY	PISTONS	
LONG <input type="checkbox"/> SHORT (KIT) <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> ø1.6mm	
SHOCK SHAFT	<input type="checkbox"/> ø1.7mm	
LONG <input type="checkbox"/> SHORT (KIT) <input checked="" type="checkbox"/>	OTHER: <input type="checkbox"/> mm	
DOWNSTOP SHIM	DOWNSTOP SHIM	
INSERT UNDER PISTON	INSERT UNDER PISTON	
LENGTH <input type="checkbox"/> mm	LENGTH <input type="checkbox"/> mm	
UPSTOP SHIM	UPSTOP SHIM	
INSERT ABOVE COLLAR	INSERT ABOVE COLLAR	
OTHER: <input type="checkbox"/> mm	OTHER: <input type="checkbox"/> mm	
<input checked="" type="checkbox"/> KIT BALL JOINT	<input checked="" type="checkbox"/> KIT	
1	1	

FRONT	SHOCK TOWER	REAR
ALU <input type="checkbox"/>	GRAPHITE <input type="checkbox"/>	ALU <input type="checkbox"/>

FRONT	ANTI ROLL BAR	REAR
mm	THICKNESS	mm

FRONT	TIRES	REAR
roline Transis	BRAND	roline Subui
M4	COMPOUND	M4
Closed Cell	INSERTS	Closed Cell
Proline	WHEELS	

ELECTRONICS			
MOTOR	Much More 7	Much More Fk	SPEEDO
MOTOR TIMING	Std	Intellect 4200	BATTERY

BODY	
ALPHA2 <input checked="" type="checkbox"/>	BETA2 <input type="checkbox"/> OTHER: <input type="checkbox"/> LIGHT

COMMENT

FRONT	APPLIED <input type="checkbox"/>	APPLIED <input checked="" type="checkbox"/>	REAR
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	SHIM /mm	REAR UPRIGHT SHIM 2 /mm HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	CAMBER LINK LOCATION SHIM /mm FLAT ARM LSM ARM	SHIM 2 /mm DRIVE SHAFT Length 77 /mm SHIM 4 /mm ADJUSTABLE DRIVE AXLE XB2D SUSP. ARM XB4 SUSP. ARM	0.5° 1°

FRONT	WING POSITION	SHOCK TOWER	WING CUTTING LINE / SIDE LINE	WING TYPE
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input type="checkbox"/> 5° <input type="checkbox"/>	YES <input type="checkbox"/> NO <input type="checkbox"/>	YES <input type="checkbox"/> NO <input type="checkbox"/>	1 2 3 4 5	CENTER FIN YES <input type="checkbox"/> NO <input type="checkbox"/>
KICK-UP ° KIT 26° <input checked="" type="checkbox"/>	BUMP STEER SHIM /mm	SHOCK POSITION FRONT <input type="checkbox"/> REAR <input type="checkbox"/>	SHOCK POSITION FRONT <input type="checkbox"/> REAR <input type="checkbox"/>	WING POSITION UP <input type="checkbox"/> MIDDLE <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>

FRONT TOE	OUT	EXTENSION	REAR TOE	IN
.5		0 SLOTS <input type="checkbox"/> 1 SLOT <input type="checkbox"/> 2 SLOTS <input type="checkbox"/>		
OFFSET kit /slots	WHEELBASE SHIM 2 /mm	BATTERY PLACEMENT LONG SIDE FRONT <input checked="" type="checkbox"/> LONG SIDE REAR <input type="checkbox"/>	OFFSET 4 /slots	WHEELBASE SHIM 4 /mm
ROLL CENTER MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	GUARD BRACE FLEX	BATTERY SIZE STD. SHORT <input type="checkbox"/> LOW SHORT <input type="checkbox"/>	UPPER BRACE YES <input type="checkbox"/> NO <input type="checkbox"/>	ROLL CENTER COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>
UPPER DECK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/>	1 2 3 4 5 6 7 8	1 2 3 4 5 6 7 8	1 2 3 4 5 6 7 8	1 2 3 4 5 6 7 8

FRONT	SHIMS	REAR ROLL CENTER HOLDERS	ECCENTRIC BUSHINGS
SHIMS /mm ACKERMANN LEFT = RIGHT	2 /mm	RF 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>	RR 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>
STEERING ARMS COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	BUMP STEER SHIM 1 /mm LEFT = RIGHT	STEERING PLATE COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/>	

FRONT CAMBER	1.5°	DIFF HEIGHT	2	REAR CAMBER
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	RIDE HEIGHT 21 /mm #107721 GAUGE	RIDE HEIGHT 22 /mm	RIDE HEIGHT	REAR ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>

ARM MOUNT	ECCENTRIC SHOCK BALL	FRONT	REAR
COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> BRASS <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>
CHASSIS BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	BALANCE 35 g	BALANCE 35 g	BALANCE 35 g
SERVO WEIGHT STANDARD <input type="checkbox"/> LOW PROFILE <input checked="" type="checkbox"/>	SERVO POSITION 1 2 3 4	SERVO POSITION 1 2 3 4	SERVO POSITION 1 2 3 4
ARM SHIM 2 /mm	CHASSIS ALU 2.5mm <input type="checkbox"/>	CHASSIS FLEX SCREW USED <input type="checkbox"/> SCREW NOT USED <input type="checkbox"/>	CHASSIS FLEX SCREW USED <input type="checkbox"/> SCREW NOT USED <input type="checkbox"/>