

SET-UP SHEET

XRAY XB4'22

RACE	NSW States	
TRACK	Ryde	
NAME	Ari Bakla	DATE 15/08/2022

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION	1	FINAL POSITION	1

TRACK	
SIZE	<input type="checkbox"/> OPEN <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH
SURFACE	<input type="checkbox"/> SMOOTH <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY <input type="checkbox"/> CARPET <input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE <input checked="" type="checkbox"/> HARD PACKED <input type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY <input type="checkbox"/> LOAMY <input type="checkbox"/> WET

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
BALL DIFF <input type="checkbox"/>	SLIPPER <input type="checkbox"/>	BALL DIFF <input type="checkbox"/>
ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>
60° 90° 120°	60° 90° 120°	60° 90° 120°
OIL 20 cst	OIL 100 cst	OIL 10 cst

SATELLITE GEARS		
COMPOSITE <input checked="" type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>
STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>
40T <input checked="" type="checkbox"/> 41T	CROWN GEAR	40T <input checked="" type="checkbox"/> 41T

CENTRAL SLIPPER & ONE-WAY SETTING	
SLIPPING ADJUSTMENT	ONE-WAY TIGHTNESS
<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 CCW TURN (BASIC SETUP)	FULLY TIGHTEN

GEARING	
PINION 23 T	81 T CENTER DIFF SPUR

FRONT	SHOCKS	REAR
2 Stripe	SPRINGS	2 Stripe
cst 450	OIL	cst 350
% 0	REBOUND	% 0
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.2mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> ø1.3mm	<input type="checkbox"/> 6 HOLES
	<input checked="" type="checkbox"/> ø1.4mm	
	<input type="checkbox"/> ø1.6mm	
	<input checked="" type="checkbox"/> ø1.7mm	
	CUSTOM PISTONS	
	mm	

FRONT	ANTI ROLL BAR	REAR
1.1 mm	THICKNESS	1.2 mm

FRONT	TIRES	REAR
Proline	BRAND	Proline
M3 Holeshots	COMPOUND	M3 Holeshots
Open Cell	INSERTS	Open Cell
Proline	WHEELS	Proline

ELECTRONICS		
MOTOR	Much More 6.0	Much More Fleta
MOTOR TIMING	28	Intellect 4200
BATTERY SIZE	STD. SHORT <input type="checkbox"/> LOW SHORT <input checked="" type="checkbox"/>	

BODY	
TYPE	Carpet
	STANDARD <input type="checkbox"/> LIGHT <input type="checkbox"/>

COMMENTS	

FRONT	APPLIED	APPLIED	REAR
ALU C-HUB SHIM			
UP /mm			
DOWN /mm			
LONGER BUSHINGS			
UP <input checked="" type="checkbox"/>			
DOWN <input type="checkbox"/>			
DRIVE SHAFT			
CVD <input type="checkbox"/> ECS			
Length 33mm/mm			
SHIM			
0 mm			
STEERING BLOCK			
MEDIUM <input type="checkbox"/>			
HARD <input checked="" type="checkbox"/>			
GRAPHITE <input type="checkbox"/>			
LOWER SHOCK POSITION			
#107711 GAUGE			
DOWNSTOP			
mm			
REAR UPRIGHT			
DRIVE SHAFT			
Length 77 /mm			
SHIM			
4 mm			
SHIMS			
1 /mm			
HARD <input type="checkbox"/>			
GRAPHITE <input checked="" type="checkbox"/>			
ALU <input checked="" type="checkbox"/>			
1 2 3 4			
#325341 ADJ. DRIVE AXLE			
1° 0.5°			
DOWNSTOP			
mm			
#107711 GAUGE			

FRONT	CASTER	CASTER BLOCK	WING CUTTING LINE	WING SIDE LINE
6° <input type="checkbox"/>				
7° <input type="checkbox"/>				
9° <input type="checkbox"/>				
12° <input checked="" type="checkbox"/>				
MEDIUM <input type="checkbox"/>				
HARD <input type="checkbox"/>				
GRAPHITE <input type="checkbox"/>				
ALU <input checked="" type="checkbox"/>				
WING POSITION				
UP <input type="checkbox"/>				
MIDDLE <input checked="" type="checkbox"/>				
DOWN <input type="checkbox"/>				
WING THICKNESS				
0.75 <input checked="" type="checkbox"/>				
1 <input type="checkbox"/>				
1.5 <input type="checkbox"/>				
TYPE				
Kit				

FF	FR	RF	RR
1° <input type="checkbox"/>	1° <input type="checkbox"/>	1° <input type="checkbox"/>	2° <input type="checkbox"/>
0.5° <input type="checkbox"/>	0.5° <input type="checkbox"/>	0.5° <input type="checkbox"/>	0.5° <input type="checkbox"/>
ROLL CENTER			
ECCENTRIC BUSHINGS			
UP <input type="checkbox"/>			
DOWN <input type="checkbox"/>			

FRONT TOE	STEER. PLATE	REAR TOE	GRAPHITE FOR REAR BRACE	REAR BRACE	ARM SHIM
-1					
HARD <input checked="" type="checkbox"/>					
GRAPHITE <input type="checkbox"/>					
ALU <input type="checkbox"/>					
BUMP STEER					
SHIM 4 mm					
SHIM UNDER STEER. PLATE					
SERVO SAVER					
SOFT <input type="checkbox"/>					
MEDIUM <input type="checkbox"/>					
TIGHT <input checked="" type="checkbox"/>					
MATERIAL					
STANDARD <input checked="" type="checkbox"/>					
GRAPHITE <input type="checkbox"/>					
ARM SHIM					
2 mm					
FRONT					
REAR					

FRONT CAMBER	FRONT DIFF HEIGHT	REAR DIFF HEIGHT	REAR CAMBER
1			2.5
DOWNSTOP			
SHIM 2 mm			
LENGTH			
UPSTOP			
SHIM 2 mm			
COLLAR			
STANDARD <input checked="" type="checkbox"/>			
-2mm			
FRONT			
REAR			

FRONT ARMS	BALANCE	SIDE GUARDS	BALANCE	REAR ARMS
LONG <input type="checkbox"/>				LONG <input checked="" type="checkbox"/>
SHORT <input checked="" type="checkbox"/>				SHORT <input type="checkbox"/>
MEDIUM <input type="checkbox"/>				MEDIUM <input type="checkbox"/>
HARD <input checked="" type="checkbox"/>				HARD <input checked="" type="checkbox"/>
GRAPHITE <input type="checkbox"/>				GRAPHITE <input type="checkbox"/>
FRONT BATTERY POST				REAR BATTERY POST
35g				
FRONT				
REAR				