

SET-UP SHEET

VER.01 ©XRAY

XRAY X4F'23

RACE		
TRACK		
NAME		DATE

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
			/sec		/

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input checked="" type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH
FRONT	TRANSMISSION
GEAR DIFFERENTIAL - OIL 200k /cst	

PINION / T	SPUR GEAR / T	FINAL DRIVE RATIO
38	100	5.0

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.7
400	OIL /Cst	500
	REBOUND %	
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO

PISTONS	
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> 3 HOLES
<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> PSS

SHOCK LENGTH FRONT	SHOCK LENGTH REAR
9.5 /mm	10.0 /mm

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
Ride				Ride
Cs				Cs
15				15

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	WEIGHT BALANCE	FRONT	REAR
1260 g		70 %	30 %

MOTOR	Hw 17.5	TIMING
-------	---------	--------

ESC	Hw	BATTERIES	Lrp 4100
-----	----	-----------	----------

BODY	Yrs	WING	Std
------	-----	------	-----

BODY POSITION	
Dimension from body post to window bottom line	
Dimension from body post to upper holder	
WING SIDE PLATE	YES <input type="checkbox"/> NO <input type="checkbox"/>
Dimension from edge to surface	

COMMENTS
100 gram in bumper

FRONT & REAR SUSPENSION	
FRONT CASTER <input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	REAR CASTER <input type="checkbox"/> 0.5° <input type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input checked="" type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings
BUMP STEER 3 /mm	HEIGHT 19 /mm
SHIM 5 /mm	TOE GAIN 7 /mm
1.0 /mm FF <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> RIDE HEIGHT <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> FR 1.0 /mm <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> SERVO SAVER <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> SERVO HORN <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	2.0 /mm RF <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> RIDE HEIGHT <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> RR 2.0 /mm <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>

FRONT SUSPENSION	
2.0 /deg. CAMBER Left = Right	BODY STOP YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT SHOCK POSITION 1 2 3 4
BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO	SHIM 0.5 /mm
DRIVE SHAFT 58mm 59mm STD. BEARING	FRONT HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
6.0 /mm DOWNSTOP	

REAR SUSPENSION	
1 /deg. CAMBER Left = Right	REAR SHOCK POSITION 1 2 3 4
SHIM 2 /mm	REAR HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
3 /mm DOWNSTOP	

FRONT TOP VIEW		REAR	
1 /deg. TOE OUT Left = Right	ACKERMANN SHIM 1 /mm	1 /deg. TOE IN Left = Right	
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>	STEERING BRIDGE YES <input type="checkbox"/> NO <input type="checkbox"/>	UPPER ARM STANDARD <input type="checkbox"/>
OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm	TOP DECK STANDARD <input checked="" type="checkbox"/> SPLITTED <input type="checkbox"/>	TOP DECK FLEX TOP DECK CUTTING	OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW		REAR	
STEER. LOCK 26 /deg.	STEER. SHIM SIZE Std /mm	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>	
FRONT BRACE YES <input type="checkbox"/> NO <input type="checkbox"/>	MOTOR MOUNT	CHASSIS T-BRACE	
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	STEER. PLATE STANDARD <input checked="" type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>