

SET-UP SHEET

XRAY GTX8'23 SET-UP VER. 01 ©XRAY

XRAY GTX8'23 C-HUB

RACE	European Championship	
TRACK	Zagreb Croatia	
NAME	Raul Daras	DATE 01/06/23
TEMPERATURE AIR		TEMPERATURE TRACK 10
LAPS	FINAL POS. 10	BEST LAPTIME 8.13 ⁷ sec
		RACE LENGTH 45 /min
TRACKS		
CONDITION	<input checked="" type="checkbox"/> SMOOTH <input type="checkbox"/> MEDIUM <input type="checkbox"/> BUMPY <input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST	
TRACTION	<input checked="" type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH	
1ST GEARING 2ND		
13T 14T 15T 16T 17T 18T 19T 20T 21T <input checked="" type="checkbox"/> 13T <input type="checkbox"/> 14T <input type="checkbox"/> 15T <input type="checkbox"/> 16T <input type="checkbox"/> 17T <input type="checkbox"/> 18T <input type="checkbox"/> 19T <input type="checkbox"/> 20T <input type="checkbox"/> 21T		
SPUR GEARS		
48T 49T 50T STANDARD <input checked="" type="checkbox"/> GRAPHITE 45T 46T 47T		
CLUTCH		
CLUTCH STANDARD <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> SHOE Std Us SPRINGS TIGHTEN 0,4 SPRING		
DIFFERENTIAL		
FRONT Graphite 300.000 /cst OIL Graphite 50.000 /cst		
SHOCKS		
FRONT 3 dot 1 stripe 800 /cst SPRINGS 2 dot 1 stripe 800 /cst 0 /% MEMBRANE 0 /% REBOUND PISTONS 1.1 mm 6 HOLES 8 HOLES 10 HOLES <input checked="" type="checkbox"/> 1.1 mm <input checked="" type="checkbox"/> 1.2 mm <input checked="" type="checkbox"/> 1.3 mm <input checked="" type="checkbox"/> 1.4 mm		
ANTI-ROLL BAR		
FRONT 2,5 /mm THICKNESS 2,8 /mm		
TIRES		
TIRES TYPE: Grp Xm3 ← COMPOUND → Xm2 FR RR		
ENGINE		
TYPE	Fx Gt 501	
MUFFLER	Fx	
MANIFOLD	Fx	
PLUG	X7	
FUEL	Shoot Fuel 16 Eu	
BODY TYPE TOTAL WEIGHT		
Gt6 3530 /g		
COMMENTS		

FRONT		REAR	
STEERING BLOCK COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	C-HUB COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> CASTER 16° <input type="checkbox"/> 6° <input checked="" type="checkbox"/> 2° <input type="checkbox"/>	FRONT ARM SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> X-HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
OFFSET 0 <input type="checkbox"/> +1 <input type="checkbox"/> +2 <input type="checkbox"/>	FRONT DROOP 27	UPPER SHOCK POSITION 6 5 4 3 2 1	UPRIGHT ROLL CENTER 4 3 2 1
CASTER BUSHINGS +2° <input type="checkbox"/> +1° <input type="checkbox"/> 0° <input type="checkbox"/> -1° <input checked="" type="checkbox"/> -2° <input type="checkbox"/>	MEASURE UNDER WHEEL AXLE #107717 GAUGE	REAR SHOCK PLATE POSITION IN <input checked="" type="checkbox"/> OUT <input type="checkbox"/>	LOWER ROLL CENTER 3 2 1
		REAR SHOCK PLATE POSITION IN <input checked="" type="checkbox"/> OUT <input type="checkbox"/>	REAR DROOP 28
		MEASURE UNDER WHEEL AXLE #107717 HUDY GAUGE	

FRONT		REAR	
BUMP STEER SHIM /mm STEERING BLOCK STEERING PLATE SHIMS PLACE ALWAYS UNDER		WING HIGH /mm	
WHEELBASE SHIM POSITION 0 mm <input checked="" type="checkbox"/> 2 mm <input type="checkbox"/> SHIMS BEHIND FRONT ARM		GRAPHITE BRACE WITHOUT <input type="checkbox"/> 1-PIECE <input type="checkbox"/> 2-PIECES <input checked="" type="checkbox"/>	
FF 1° <input type="checkbox"/> 0.5° <input type="checkbox"/> FR 1° <input type="checkbox"/> 0.5° <input type="checkbox"/>		REAR DIFFUSOR YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
LOWER ROLL CENTER ECCENTRIC BUSHINGS		RF 1° <input type="checkbox"/> 0.5° <input type="checkbox"/> RR 1° <input type="checkbox"/> 0.5° <input type="checkbox"/>	

FRONT TOE OUT 1,5		REAR TOE IN 2	
TIGHTEN SERVO SAVER MATERIAL TIGHT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>		UPPER PLATE COMPOSITE <input type="checkbox"/> GRAPHITE <input type="checkbox"/>	
ACKERMANN POSITION 3 2 1		WHEELBASE 0 mm <input type="checkbox"/> 1 mm <input type="checkbox"/> 2 mm <input checked="" type="checkbox"/> 3 mm <input type="checkbox"/> 4 mm SHIMS IN FRONT OF UPRIGHT	
ENGINE MOUNT STANDARD <input type="checkbox"/> MONOBLOCK <input checked="" type="checkbox"/>			

FRONT CAMBER 2		REAR CAMBER 3	
REAR DIFF HEIGHT UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>			
RIDE HEIGHT 7 /mm		RIDE HEIGHT 8 /mm	
LENGTH 22 mm		LENGTH 22 mm	